CM

OIPE						
Appli			Application	on Serial Number		10/712,790
			Filing Date		November 12, 2003	
			First Named	Inventor Van Noy		Van Noy
TRANSMITTAL			Group Art U	Unit 3728		3728
			Examiner Name		Kavanaugh, John T.	
FORM			Attorney Docket No.		ADI-098	
			Patent No.		Not applicable	
			Issue Date		Not applicable	
ENCLOSURES (check all that apply)						
	Fee Transmittal Form			e to File Missing	Ē	Notice of Appeal to Board of Patent Appeals and Interferences
	Check Attached Copy of Fee		Formal Drawin	ng(s)		Appeal Brief (in triplicate)
⊠	Transmittal Form Amendment/Response		Request For C Examination (Status Inquiry
	Second Preliminary After Final Affidavits/declaration(s) Letter to Official Draftsperson Petition for Extension of Time Information Disclosure Statement Form PTO-1449 Copies of IDS Citations Certified Copy of Priority Document(s) Sequence Listing submission		Executed Decl of Attorney for Patent Applica Small Entity S CD(s) for large program Amendment A Request for Co Correction	f Prior Powers) laimer aration and Power r Utility or Design tion tatement e table or computer fter Allowance ertificate of		Certificate of First Class Mailing under 37 C.F.R. 1.8 Certificate of Facsimile Transmission under 37 C.F.R. 1.8
Paper Copy/CD Computer Readable Copy Statement verifying identity of above		☐ Certificate duplicate)		of Correction (in		
CORRESPONDENCE ADDRESS				SIGNATURE BLOCK		
Direct all correspondence to: Patent Administrator Goodwin Procter LLP Exchange Place Boston, MA 02109 Tel. No.: (617) 570-1000 Fax No.: (617) 523-1231 Customer No. 051414				Respectfully submitted, Date: November 3, 2005 Reg. No. 42,545 Tel. No.: (617) 570-1607 Fax No.: (617) 523-1231 Goodwin Procter LLP Exchange Place Boston, MA 02109		

VER 12/00



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT(S):

Van Noy et al.

CONFIRMATION NO.

7808

SERIAL NO.:

10/712,790

GROUP NO.:

3728

FILING DATE:

November 12, 2003

EXAMINER:

Kavanaugh, John T.

TITLE:

SHOE VENTILATION SYSTEM

CERTIFICATE OF FIRST CLASS MAILING UNDER 37 C.F.R. 1.8

I hereby certify that this correspondence, and any documents referred to as enclosed herein, are being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on this 3rd day of November 2005.

Linda M. Penta

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Submitted herewith are:

- 1. Transmittal Form (1 page);
- 2. Response to Species Election Requirement (1 page); and
- 3. Return Receipt Postcard



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANTS:

Van Noy et al.

CONFIRMATION NO.:

7808

SERIAL NO.:

10/712,790

GROUP NO.:

3728

FILING DATE:

November 12, 2003

EXAMINER:

Kavanaugh, John T.

TITLE:

SHOE VENTILATION SYSTEM

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

RESPONSE TO SPECIES ELECTION REQUIREMENT

This paper is responsive to the Office action mailed from the Patent Office on October 11, 2005. The shortened statutory period for response expires on November 11, 2005.

<u>REMARKS</u>

The Office action indicates that there are three patentably distinct species depicted in the figures and that claim 1 appears to be generic. A summary of the species as outlined in the Office action follows:

> I FIGS. 1-3;

II. FIG. 4;

III. FIGS. 5-6;

Applicants hereby elect with traverse species III, as represented by FIGS. 5-6. Applicants submit that at least claims 1-14 and 18-35 are readable on the elected species.

CONCLUSION

Applicants hereby elect with traverse species III, and request allowance of claims 1-35 in due course. The Examiner is invited to telephone the undersigned attorney to discuss any outstanding issues.

Date: November 3, 2005

Reg. No. 42,545

Customer No. 051414

Tel. No.: (617) 570-1607

Fax No.: (617) 523-1231

Respectfully submitted,

John/W. Forcier

Attorney for Applicants

Goodwin Procter LLP

Exchange Place

Boston, Massachusetts 02109

LIBA/1643085.1